TOWN OF SKANEATELES PERMIT GUIDELINES FOR DEMOLITION

- 1) Completed building/zoning permit application including required items 1-3 & 5 as listed.
- 2) Asbestos survey and abatement completion paperwork. Demolition that occurs in any building built prior to January 1, 1974 requires an Asbestos Survey pursuant to the New York State Labor Law pertaining to Building Demolition Survey's. If a Building Demolition Survey is required, please contact the NYS Department of Labor Asbestos Control Bureau at 479-3215 or www.labor.state.nv.us under Code Rule 56.
- 3) Contact Dig Safely New York @ 1-800-962-7962 for marking of underground utility lines at least one week prior to the date of demolition.
- 4) Install erosion control devices where applicable for adjoining properties.
- 5) Foundation must be filled in after demolition with appropriate fill and the site must be cleared of all debris, graded, seeded and mulched to prevent erosion.

Any questions, please call the Building & Codes Department at (315) 685-0833.

Town of Skaneateles Requirements for a Building Permit

Please be advised that it will take approximately 5-10 business days to review a <u>complete application</u> to determine compliance with the Town Zoning Ordinance and the New York State Uniform Fire Prevention and Building Code. The review process begins when a <u>complete application</u> has been received. The following is required for a <u>complete application</u> and failure to submit any of these may result in the delay of your project. Please call the Building and Zoning Department at 685-0833 if you have any questions regarding this.

- 1. Original copy of completed permit application printed in ink and signed by record owner (proof of ownership may be required).
- 2. If property is located within the Lake Watershed Overlay District, applicant must submit copies to the City of Syracuse Water Department located at 20 West Genesee Street, Skaneateles. This should be done at the same time submittal is made to the Town. (Please see attached City of Syracuse letter dated 2/11/04)
- One copy of an original survey map certified within five years of the date of this application showing location of all existing and proposed structures (including decks, porches, fireplaces, etc.), with front, rear and side setbacks drawn by a licensed surveyor or engineer. If survey doesn't represent current conditions, re-certification is required. If property has lakefront, the lake line (865.02' National Geodetic Vertical Datum, 1929) must be shown. Information indicating impermeable surface coverage and lot coverage may be required.
- One copy of plans of structure and specifications. If cost of structure is over \$20,000 (materials and labor), NYS architect or professional engineer drawings stamped and signed, are required.
- 5. Contractors certificates of insurance or exemption for workers compensation, disability and liability CE-200 (certificate of attestation of exemption) or C-105.2, u-26.3 (State Insurance Fund Version) or SI-12 or GSI-105.2 or BP-1 (if homeowner of a 1,2,3, or 4 owner-occupied residence is listed as the general contractor and performing all the work for which the building permit is issued). Please call the Bureau of Compliance at (518) 486-6307 with any general questions regarding the Workers' Compensation Law. Official website www.wcb.state.nv.us.
- 6. For any dwelling constructed before 1989, an asbestos survey must be completed by a certified Asbestos Inspector, in compliance with OSHA and Industrial Code Rule 56, whenever all or part of a building or structure will be demolished, renovated, remodeled, or repaired. The survey will determine if the planning work will disturb asbestos material, and a copy is to be provided to the town.

If there are no zoning issues that require Zoning or Planning Board approval, a permit is issued, and a fee collected. Building permit fees are based on the square footage for new construction, or by the value of the proposed renovation or alteration. Valuation is the anticipated market value of the proposed construction project and includes all labor and materials for which the permit is issued. Determination of the value shall be made by the building official based on average construction costs per square foot as established in the Building Valuation Data (BVD) table published by the International Code Council. Please see the Building and Zoning Fee schedule for applicable fees.

TOWN OF SKANEATELES

		APPLICATION FOR	ZONING AND BUILD	NG PERMIT	
FOR T	TOWN USE ONLY			Permit No.	
Date S	Submitted	Tax Map No)	Occupancy	
Date Approved		Zoning Distr	ict	Construction	
Date [Denied	Permit Fee	\$	_	
LWOE					
				Approved By	
Applic				L PLACES THAT APPLY ssuance of a Zoning and Building Permit	
enlarg	ement, addition, alteration	n, repair, replacement	, improvement, remov	nd governing the erection, construction, al, demolition, conversion and/or change in es of the Town of Skaneateles.	
1.	Name of Property Own	ner:			
	Address:			Zip:	
	Home Phone:	Daytime	Phone:	Other:	
2.	Address of Property: _				
	Tax Map Number:	E	mail:		
3.	Name of Applicant for I	Permit:			
	Address:			Zip:	
	Phone:	Other:	Email:		
4.	Architect or Engineer of	of Record:			
	Address:			Zip:	
	Daytime Phone:	Email			
5.	General Contractor/Construction Manager:(If OWNER doing all work under this Permit Application check here)				
	Address:			Zip:	
	Cell Phone or Other:	copy of Certificate of I	Email:	bility, worker's compensation and	
	disability insurance or I Enforcement Office abo	NYS exemption certific	ate.) Please see the a	ttached memo from Codes	

6. NATURE OF WORK (check New Structure Deck/Patio Move Building Sign Fence/Berm/Wall Conversion of seasonal res All others	all that apply): Addition Demolition/Removal Shed Shoreline Structure Add impermeable surfactions	ce	/Stove	
7. Estimated total valuation o (Include estimated value of a	f construction: \$all work, materials and labor fo	or the worl	k under this appli	cation.)
the proposed use, including	T: tion of the proposed project. use and size of all items chec n sheets as may be necessary	ked in nu		
9. Will there be any electrical or	plumbing work associated wi		ject? lo	
10. ZONING INFORMATION:				
1. Area of lot	(1 acre =43,560 square feet))		
2. Site affected by flood plain			es N	О
3. Site is in the Skaneateles				o
4. Site is in the Owasco Lake				lo
	100 feet of the mean lake line	-	,	o
excee	ding 12%?	Y	es N	o
excee	ding 30%?	Y	es N	o
7. Is there any stream, pond				
located on or within 200 fe	eet of property?	Y	es N	0
8. Are there any easements	on the property?	Y	es N	0
9. Are there any wetlands or		Ye	es N	o
Building Information	Existing Structure		Proposed Stru	aturalAddition
Principal Building: total floor space	Existing Structure	SF	Liohosea otta	SF
Findipal bulluling, total floor space		<u> </u>		SF.

Building Information	Existing Structure	Proposed Structure/Addition
Principal Building: total floor space	SF	SF
Attached Garage	SF	SF
Attached Decks and Porches	\$F	SF
Accessory Buildings: List all	SF	SF
detached buildings and the use	SF	SF
(storage, shop, animals, etc)	SF	SF
Total of all structures	SF	SF
Number of Bedrooms		
Number of Bathrooms		
Number of Fireplaces		
Finished basement	SF	SF
Building Height (measured from the average finished grade of the perimeter of the house to highest point of roof)	FT	FT

11.	PROPERTY USE (see Town Code §148-8 for allowable uses) Current (ie: one-family/office/retail/etc.): Proposed:
12.	OTHER: A. The applicant shall notify the Codes Enforcement office of any changes in the inform

- A. The applicant shall notify the Codes Enforcement office of any changes in the information contained in the application during the period for which the permit is in effect. A permit will be issued when the application has been determined to be complete and when the proposed work is determined to conform to the requirements of the Code of the Town of Skaneateles, New York and NYS Uniform Fire Prevention and Building Code. The authority conferred by such permit may be limited by conditions.
- B. A building permit may be suspended or revoked if it is determined that the work to which it pertains is not proceeding in conformance with the Code of the Town of Skaneateles, the NYS Uniform Fire Prevention and Building Code or with any condition attached to such permit, or if there has been a misrepresentation or falsification of a material fact in connection with the application for the permit.
- C. A building permit shall expire 18 months from the date of issuance or upon the issuance of a Certificate of Occupancy (other than a temporary Certificate of Occupancy) whichever comes first.

CERTIFICATION

The undersigned hereby affirms under the penalty of perjury that to the best of his/her knowledge and belief the information given and accompanying this application is accurate and true. The undersigned represents and agrees as a condition to the issuance of these permits that the development will be accomplished in accordance with the Town Zoning Law, the New York State Uniform Fire Prevention and Building Code and the plans and specifications annexed hereto.

PERMIT CANNOT BE ISSUED WITHOUT PROPERTY OWNER SIGNATURE.

Owner's Signature:	Date:		
Print name:			
Applicants Signature (if different):	Date:		

To All Building Permit Applications City of Syracuse Water Department

Pursuant to the Skaneateles Watershed Rules and Regulations, the <u>Syracuse Water Department</u> must be notified of any building permit applications and proposed construction activities prior to commencement of the action. A Sediment and Erosion Control Plan may also be necessary. The two sections below describe the requirements.

Requirement to Submit Building Permit Application

Copies of permit applications for proposed building activities that involve land or shoreline disturbance within the watershed shall be forwarded to the Syracuse Water Department, by the applicant, at the same time it is submitted to the agency having jurisdiction.

Notification shall be at the earliest stages of the application process including an informal or formal pre-application review state (i.e. preliminary sketches, drawings, proposals, etc.) for any proposed activities so as to allow the Syracuse Water Department to be included in the review of any proposed activities within the watershed at the initial planning stages. Where applicable, any comments by the Syracuse Water Department must be submitted within the statutory or procedural time frames of the permitting agency. Copies of all permits issued shall be sent to the Syracuse Water Department by the applicant,

Requirement to Submit An Erosion/Stormwater Control Plan

Copies of the erosion/stormwater control plans must be submitted to the Syracuse Water Department by the applicant at least

10 business days prior to undertaking any land disturbance activity.

Land Disturbing activities, including, but not limited to, general construction, highway construction and maintenance, and silviculture, and which expose 5,000 or more square feet of soil (i.e. vegetation has been removed, or the landscape has been graded or filled resulting in bare soil surfaces) are prohibited within an environmentally sensitive area defined above in except where measures have been put in place to prevent erosion and sediment production as outlined in the various publications (listed below).

The proposed measures shall be in the form of a written description and site plan showing the design criteria, location and type of proposed control structures, sequence of actions, etc., including construction details.

The term environmentally sensitive area shall be defined as those areas that meet any or all of the following criteria:

- < land within 300 feet of the lake or watercourse,
- < areas with slopes greater than 15%,
- < within 300 feet of or within areas defined by the NYSDEC as wetlands,
- soils that are highly erodible, where highly erodible is defined as: areas with soils that pose a high risk of erosion, or severe limitations on structure or sewage disposal system construction, and are identified as lands with some or all of the following conditions:
 - < shallow soils; <2 foot depth to bedrock or fragipan,
 - < high seasonal ground water table (<3 feet),
 - soils that are either poorly drained and/or highly permeable soils,
 - soils that are either excessively drained and/or highly permeable soils,
 - soils underlain or intersected by easily softened and mobile layers, especially silts and clays, which may be evidenced by outcrop or recent instability

Manuals and Guidelines

New York State Stormwater Management Design Manual=(February 2002) prepared by the Center for Watershed Protection

New York Guidelines for Urban Erosion and Sediment Control*(April 1997), published by the Soil and Water Conservation Society

Construction Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State*(November 1992), published by the Bureau of Water Quality Management, Division of Water, NYSDEC

Silviculture Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State*(October 1993) published by the Bureau of Water Quality Management, Division of Water, NYSDEC

Mailing Address

City of Syracuse Water Treatment Plant 20 W. Genesee St. Skaneateles, NY 13152

315-685-6486 315-685-8160 (FAX)

February 11, 2004



Town of Skaneateles Application for Water Service

(if applicable)

Name of Applicant			
Service Address			

Mailing Address	SS (if different)		
Telephone			
Property Owne	er (if different)		
Owner Address	S (if different)		
Boundaries	North		
	South		
	East		
	West		
Type of Service			
Residential	Single Unit	Multiple Dwelling	
Commercial(specify)		Industrial (specify)	
Contractor (temporary)		Other	
Meter#		Radio #	
Water Distri	ct #	Sewer District #	
Date		Approval Date	
Signature		Approval Signature	

Submit to: water@townofskaneateles.com



Town of Skaneateles-Permitted Bulk Water Use Form

This form provides an Applicant the use of a fire hydrant in accordance with Town Code 146-8.C.

Applicant Informat	ion:		
Company Name/Name of Applicant:Billing Address:			
Hydrant Use Inforr	nation:		
-			
	A:		
hydrant. The applica	-	meter apparatus to the hydrant and start and stop flow using the valve on v using the hydrant.	-
backflow prevention backflow prevention all charges and any	device. I hereby agree device assembly. I und damages caused to the	connection with using a Town of Siee to be responsible for the water derstand that I am responsible for page water meter and backflow prevention. Town of Skaneateles property or face	meter and ayment for ion device
	gnature:		
Current Bulk Water	Rate: \$4.43/1,000 gallo	ons	
Office Use Only			
Returned Meter Read	d:	Read by:	

Onondaga County Department of Health Division of Environmental Health

BUILDING DEMOLITION REPORT

Date:	Log No.	
Taken By:	Referred to Investigator	
BUILDING	<u>GLOCATION</u>	
Building Address:		
City, Village, Town:		
Other Identification:		
OWNER OR C	WNER'S AGENT	
Owner's Name:	Tel. No	
Address:	·	
Agent's Name:	Tel. No	
Address:	(4)	
<u>INVESTIGATOR'S REPOI</u>	RT AND RECOMMENDATION	
Evidence of Vermin	(Circle One) Yes No	
Evidence of Rodents	(Circle One) Yes No	
Extermination Required	(Circle One) Yes No	
Exterminated By:	Date:	
Remarks:		
Investigator's Signature:		
Date Approved for Demolition:	25	