## TOWN OF SKANEATELES PERMIT GUIDELINES FOR FENCES

- 1) Completed building/zoning permit application including required items 1, 3, 4 & 5 as listed. The requirement in item #3 for a licensed surveyor or engineer to locate the proposed fence on the survey map is waived for this type of application and can be plotted by the applicant.
- 2) Copy or picture of the type of fencing to be installed. This can be obtained from the supplier.
- 3) Fences shall comply with Town Zoning Code section 148-5-2H.
- 3) Fences must be set back a minimum of one foot from the respective property line with the exterior (good) side of the fence facing out, and with any wiring, structural elements or other components of the fencing not designated for presentation to the public facing toward the interior of the property.
- 4) No fence shall be constructed in a road or street right-of-way.
- 5) The maximum fence height allowed is six feet unless its purpose is to enclose a tennis court, where it is allowed to be up to 10 feet provided it complies with applicable setback requirements for a tennis court.
- 6) If proposed fence is to be located within 100 feet of the lake line, the maximum height is four feet and it must be of an open style allowing a minimum of 50% visual penetration when viewed at any angle between 45° and 90° to its face, including pickets, post, rails, or any other feature that can block visual penetration.

Any questions, please call the Building & Codes Department at (315) 685-0833.

# Town of Skaneateles Requirements for a Building Permit

Please be advised that it will take approximately 5-10 business days to review a **complete application** to determine compliance with the Town Zoning Ordinance and the New York State Uniform Fire Prevention and Building Code. The review process begins when a **complete application** has been received. The following is required for a **complete application** and failure to submit any of these may result in the delay of your project. Please call the Building and Zoning Department at 685-0833 if you have any questions regarding this.

- 1. Original copy of completed permit application printed in ink and signed by record owner (proof of ownership may be required).
- 2. If property is located within the Lake Watershed Overlay District, applicant must submit copies to the City of Syracuse Water Department located at 20 West Genesee Street, Skaneateles. This should be done at the same time submittal is made to the Town. (Please see attached City of Syracuse letter dated 2/11/04)
- One copy of an original survey map certified within five years of the date of this application showing location of all existing and proposed structures (including decks, porches, fireplaces, etc.), with front, rear and side setbacks drawn by a licensed surveyor or engineer. If survey doesn't represent current conditions, re-certification is required. If property has lakefront, the lake line (865.02' National Geodetic Vertical Datum, 1929) must be shown. Information indicating impermeable surface coverage and open space may be required.
- One copy of plans of structure and specifications. If cost of structure is over \$20,000 (materials and labor), NYS architect or professional engineer drawings stamped and signed, are required.
- 5. Contractors certificates of insurance or exemption for workers compensation, disability and liability CE-200 (certificate of attestation of exemption) or C-105.2, u-26.3 (State Insurance Fund Version) or SI-12 or GSI-105.2 or BP-1 (if homeowner of a 1,2,3, or 4 owner-occupied residence is listed as the general contractor and performing all the work for which the building permit is issued). Please call the Bureau of Compliance at (518) 486-6307 with any general questions regarding the Workers' Compensation Law. Official website www.wcb.state.nv.us.

If there are no zoning issues that require Zoning or Planning Board approval, a permit is issued and a fee collected. Building permit fees are based on the value of the proposed construction or alteration. Valuation is the anticipated market value of the proposed construction project and includes **all labor and materials** for which the permit is issued. Determination of the value shall be made by the building official based on average construction costs per square foot as established in the Building Valuation Data (BVD) table published by the International Code Council. Please see the Building and Zoning Fee schedule for applicable fees.

### **TOWN OF SKANEATELES**

FOR TOWN USE ONLY		Permit No
Date Submitted	Tax Map No	
Date Approved		
Date Denied	Permit Fee \$	
LWOD	FPOD	
		Approved By

Application is hereby made to the Code Enforcement Officer for the issuance of a Zoning and Building Permit pursuant to all applicable codes, ordinances and laws regulating and governing the erection, construction, enlargement, addition, alteration, repair, replacement, improvement, removal, demolition, conversion and/or change in the nature of the occupancy of any building or structure within the boundaries of the Town of Skaneateles.

Address:			Zip:
Home Phone:	Daytime Phone:	Other:_	
Address of Property:			
Tax Map Number:		_	
Name of Applicant for Permit	<u> </u>		
Address:			Zip:
Home Phone:	Daytime Phone:	Other:_	
Architect or Engineer of Reco	ord:		
Address:			Zip:
Daytime Phone:			
General Contractor/Construct	tion Manager:		
	der this Permit Application check l		Zip:
Phone:	Cell Phone or Other:		

2

1 6/22/2022

6.	NATURE OF WORK (check	all that apply):				
0.	□ New Structure		Alteration	/Renair		
	□ Deck/Patio	☐ Demolition/Removal ☐ F		•		
	☐ Move Building		Chimney	0.010		
	□ Sign			g Pool/Hot T	uh	
	□ Fence/Berm/Wall	☐ Add impermeable surface		9 1 001/1101 1	ub	
		•				
		idence to year round residence				
7.	Estimated total valuation of (Include estimated value of a	construction: \$ll work, materials and labor for	the work	under this a	application.)	
8.	the proposed use, including u	<b>T</b> : ion of the proposed project. D ise and size of all items checke sheets as may be necessary:				
9.	Will there be any electrical or	plumbing work associated with	n this pro	<i>*</i>		
40	ZONING INFORMATION.		103 🗆 10			
10.	ZONING INFORMATION:	(1 coro –42 F60 equero foot)				
		(1 acre =43,560 square feet)	□Ye	20	□ No	
	2. Site affected by flood plain				-	
	3. Site is in the Skaneateles		□Y€		□ No	
	4. Site is in the Owasco Lake		□Y€		□ No	
	<ul><li>5. Is proposed project within</li><li>6. Are there any slopes:</li></ul>	100 feet of the mean lake line?	? □Y€	es	□ No	
		ding 12%?	□Y€	es	□ No	
	excee	ding 30%?	□Y€	es	□ No	
	7. Is there any stream, pond,	lake or drainage channel				
	located on or within 200 fe		□Ye	es	□ No	
	8. Are there any easements		□Y€	es	□ No	
	9. Are there any wetlands on		□Ye		□ No	
Buildir	ng Information	Existing Structure		Proposed	Structure/Addition	
<u>Princi</u> p	al Building: total floor space		SF			SF
Attache	al Building: total floor space ed Garage		SF SF			
Attache	al Building: total floor space					SF
Attache Attache	al Building: total floor space ed Garage		SF			SF SF
Attache Attache Access	al Building: total floor space ed Garage ed Decks and Porches		SF SF			SF SF SF

SF	SF
SF	SF
SF	SF
SF	SF
FT	FT
	SF SF SF SF SF

<ol><li>PROF</li></ol>	'ERTY USE (see Town Code §148-8 for allowable uses)
Curre	nt (ie: one-family/office/retail/etc.):
Propo	· · · · · · · · · · · · · · · · · · ·

#### 12. OTHER:

- A. The applicant shall notify the Codes Enforcement office of any changes in the information contained in the application during the period for which the permit is in effect. A permit will be issued when the application has been determined to be complete and when the proposed work is determined to conform to the requirements of the Code of the Town of Skaneateles, New York and NYS Uniform Fire Prevention and Building Code. The authority conferred by such permit may be limited by conditions.
- B. A building permit may be suspended or revoked if it is determined that the work to which it pertains is not proceeding in conformance with the Code of the Town of Skaneateles, the NYS Uniform Fire Prevention and Building Code or with any condition attached to such permit, or if there has been a misrepresentation or falsification of a material fact in connection with the application for the permit.
- C. A building permit shall expire 18 months from the date of issuance or upon the issuance of a Certificate of Occupancy (other than a temporary Certificate of Occupancy) whichever comes first.

#### **CERTIFICATION**

The undersigned hereby affirms under the penalty of perjury that to the best of his/her knowledge and belief the information given and accompanying this application is accurate and true. The undersigned represents and agrees as a condition to the issuance of these permits that the development will be accomplished in accordance with the Town Zoning Law, the New York State Uniform Fire Prevention and Building Code and the plans and specifications annexed hereto.

#### PERMIT CANNOT BE ISSUED WITHOUT PROPERTY OWNER SIGNATURE.

Owner's Signature:	Date:
Print name:	
Applicants Signature (if different):	Date:

#### **Lot Coverage Calculation Worksheet**

OPEN SPACE - An area of land not developed with structures and used for recreation, agriculture, lawn or forestry or left in its natural state.

<u>IMPERMEABLE SURFACE</u> – Any roofed or other solid structure or material covering the ground through which water does not readily penetrate, including, but not limited to concrete, oil and stone, tar or asphalt pavement or compacted gravel .Regardless of the construction materials, any area, which is used for driveway or parking purposes, including disturbed grass, ground cover, or dirt, shall be considered impermeable. A deck with spaced boards at least 1/8 inch apart, a swimming pool surface, and a patio with a permeable paving system shall not be considered impermeable.

<u>IMPERMEABLE SURFACE COVERAGE</u> – The ratio between impermeable surface and total land area of a lot expressed as the percentage of land covered by impermeable surfaces.

IMPERMEABLE SURFACES	EXISTING	PROPOSED
House	SF	SF
Accessory Structures	SF	SF
Driveway***	SF	SF
Concrete Pads or Sidewalks	SF	SF
Other**	SF	SF
Total Impermeable Surfaces	(a) SF	(c) SF
Total % of Impermeable Surface Coverage(Total Impermeable surfaces ÷ Lot area = % impermeable surface]	%	%

PERMEABLE SURFACES		EXISTING	PRO	POSED
Swimming Pool Surface		SF		SF
Wood Deck w/Spaced Boards		SF		SF
Open joint Patio & Walks		SF		SF
Other – Paving Systems		SF		SF
Total <u>Permeable</u> Surfaces	(b)	SF	(d)	SF

OPEN SPACE CALCULATION	EXISTING		Р	ROPOSED	
Total Lot Coverages (Impermeable + Permeable)	(a+b)	SF	(c+d)		SF
*Lot Area (in Square Feet. An acre = 43,560 SF)		SF			SF
Total % Open Space [(total lot coverage) ÷ lot area = Total Coverage %. 100% - Total Coverage % = % of open space]		%			%

<sup>\*</sup> Lot area must be calculated to the road boundary or right-of-way, not the centerline. In the case of lakefront property, the area must be calculated to the mean lake line elevation of 865.02'-NGVD.

<sup>\*\*</sup> Storage sheds, detached garages, pole barns, etc.

<sup>\*\*\*</sup> All driveways must be calculated as impermeable

#### To All Building Permit Applications City of Syracuse Water Department

Pursuant to the Skaneateles Watershed Rules and Regulations, the <u>Syracuse Water Department</u> must be notified of any building permit applications and proposed construction activities prior to commencement of the action. A Sediment and Erosion Control Plan may also be necessary. The two sections below describe the requirements.

#### **Requirement to Submit Building Permit Application**

Copies of permit applications for proposed building activities that involve land or shoreline disturbance within the watershed shall be forwarded to the Syracuse Water Department, by the applicant, at the same time it is submitted to the agency having jurisdiction.

Notification shall be at the earliest stages of the application process including an informal or formal pre-application review state (i.e. preliminary sketches, drawings, proposals, etc.) for any proposed activities so as to allow the Syracuse Water Department to be included in the review of any proposed activities within the watershed at the initial planning stages. Where applicable, any comments by the Syracuse Water Department must be submitted within the statutory or procedural time frames of the permitting agency. Copies of all permits issued shall be sent to the Syracuse Water Department by the applicant.

Requirement to Submit An Erosion/Stormwater Control Plan

Copies of the erosion/stormwater control plans must be submitted to the Syracuse Water Department by the applicant at least

10 business days prior to undertaking any land disturbance activity.

Land Disturbing activities, including, but not limited to, general construction, highway construction and maintenance, and silviculture, and which expose 5,000 or more square feet of soil (i.e. vegetation has been removed, or the landscape has been graded or filled resulting in bare soil surfaces) are prohibited within an environmentally sensitive area defined above in except where measures have been put in place to prevent erosion and sediment production as outlined in the various publications ( listed below).

The proposed measures shall be in the form of a written description and site plan showing the design criteria, location and type of proposed control structures, sequence of actions, etc., including construction details.

The term environmentally sensitive area shall be defined as those areas that meet any or all of the following criteria:

- < land within 300 feet of the lake or watercourse,
- < areas with slopes greater than 15%,
- < within 300 feet of or within areas defined by the NYSDEC as wetlands,
- < soils that are highly erodible, where highly erodible is defined as: areas with soils that pose a high risk of erosion, or severe limitations on structure or sewage disposal system construction, and are identified as lands with some or all of the following conditions:
  - < shallow soils; <2 foot depth to bedrock or fragipan,
  - < high seasonal ground water table (<3 feet),
  - < soils that are either poorly drained and/or highly permeable soils,
  - < soils that are either excessively drained and/or highly permeable soils,
  - soils underlain or intersected by easily softened and mobile layers, especially silts and clays, which may be evidenced by outcrop or recent instability

#### Manuals and Guidelines

New York State Stormwater Management Design Manual=(February 2002) prepared by the Center for Watershed Protection

New York Guidelines for Urban Erosion and Sediment Control\*(April 1997), published by the Soil and Water Conservation Society

Construction Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State\*(November 1992), published by the Bureau of Water Quality Management, Division of Water, NYSDEC

Silviculture Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State\*(October 1993) published by the Bureau of Water Quality Management, Division of Water, NYSDEC

#### **Mailing Address**

City of Syracuse Water Treatment Plant 20 W. Genesee St. Skaneateles, NY 13152

315-685-6486 315-685-8160 (FAX)

February 11, 2004